




SOLAR LED STREET LIGHT



IP66 WATERPROOF


IP66-rated waterproofing allows the street light to withstand all weather to withstand all weather



Waterproof male female connector wiring

SOLAR PANEL CHARGING

- ▶ Use waterproof IP65 fission solar controller, charging efficiency is as high as 75%,
- ▶ Equipped with waterproof IP66 silica gel lamp tape, strong and durable



Optional lamp with 2 colors



Solar energy



Long battery life



Adjustable brightness



Time off



intelligent control

FULL BODY WATERPROOF
Not afraid of
Rainstorm Weather

IP66


CONSIST ON EACH QUALITY DETAIL

All-around Upgraded




2835 LED Beads

- High brightness
- Energy savings
- Low light decay
- Low heat generation



The Solar Panels

- High-efficiency monocrystalline silicon
- Faster charging in 6-8Hr
- Higher conversion



PIR Sensor



20000mAh Battery

- High capacity
- 16 hours endurance
- Long lifespan






► Intelligent controller

160° wider angle

Height: 6-12m

Area: 1200 sq.m


SOLAR PANEL CHARGING



TIPS

After fixing the screws,
it can't be adjusted again.
It needs to loosen the screws

APPLICATION SCENES



Kinco-Energy Technology Co., Ltd



ADD: No.4 Jubao Road, Lianfeng Town, Xiaolan District, Zhongshan City, Guangdong Province, China.



0086 13549445576





www.fshamm.com



lisa@kinco-energy.com


THE FACTORY SHOW



NEW BATTERY LITHIUM IRON PHOSPHATE BATTERIES



PRODUCT PARAMETERS



MODEL	Product Size	Solar Panel	Battery	Lumen	Total Lumen	Warranty
KC-BL-100W	720*365*90mm	18V / 50W	12.8V / 18Ah	200lm/w	4000lm	3 years
KC-BL-150W	910*365*90mm	18V / 60W	12.8V / 24Ah	200lm/w	5000lm	3 years
KC-BL-200W	1080*365*90mm	18V / 70W	12.8V / 30Ah	200lm/w	6000lm	3 years
KC-BL-240W	1050*420*90mm	18V / 80W	12.8V / 36Ah	200lm/w	7000lm	3 years
KC-BL-300W	1200*420*90mm	18V / 90W	12.8V / 42Ah	200lm/w	8000lm	3 years
KC-BL-400W	1350*420*90mm	18V / 100W	12.8V / 48Ah	200lm/w	9000lm	3 years



All in one solar led street light

Model No	KC-BL-200W	Lighting mode	Microwave control + light/control + time control
Solar panel	Monocrystalline 18V 70W	Charging time	Effective sunshine for 6 hours
Battery	12.8V 30AH Lifepo4	Discharging time	3-5 Cloudy and rainy days
Led Chips Qty	SMD3030 300pcs	Height of the pole advice	6-12m
Color Temperature	5500K+Blue	Lamp pole diameter	Φ65-Φ105mm
Lumen efficiency	200lm/w	Product Size	1080*365*90mm
Lumen	6000lm	Waterproof class	IP66
Controller	12.8V	Material Housing	Aluminum
Working Temperature	-25℃—+65℃	Gross Weight	12kgs

SOLAR LED STREET LIGHT
