


GAS STATION

EXPLOSION-PROOF LED LIGHTS



PRODUCT DISPLAY




Front



Back



Side



Philips power supply

5 YEARS WARRANTY

PRODUCT EXPLODED VIEW



Heat dissipation aluminum plate

Light source aluminum plate

lens


Fixed bracket

Waterproof silicone

Glass mask

Frame bracket

Screw





Efficient heat
dissipation is
more durable

THICK ENING AVIATION ALUMINUM





IP66

DON'T FEAR THE THUNDERSTORM DAYS



Gas station Embedded LED light



Highlight lamp beads



Heat dissipation aluminum



Thickened frame



NO	Model Number	Power(W)	Voltage(V)	Frequency(Hz)	Efficacy/(lm/w)	Luminous Flux(lm)	Led chips
1	KC-GS-100W	100W	AC100-277V	50/60Hz	120lm/w	12000lm	Philips
2	KC-GS-150W	150W	AC100-277V	50/60Hz	120lm/w	18000lm	Philips
3	KC-GS-200W	200W	AC100-277V	50/60Hz	120lm/w	24000lm	Philips

Driver	Explosive-proof grde	IP Rating	Power Factor	CCT/(K)	Ra	Lamp dimensions /(mm)	Net Weight (kgs)	Warranty
Philips	IICT6	IP66	0.95	2700K-6000K	80	370*270*110mm	5.86kgs	5 Years
Philips	IICT6	IP66	0.95	2700K-6000K	80	410*410*110mm	6.10 kgs	5 Years
Philips	IICT6	IP66	0.95	2700K-6000K	80	410*410*110mm	6.50kgs	5 Years

THE FACTORY SHOW

